

INSTALITE 360D

360 DEGREES SOLAR LED SMART LAMP

PLUG & PLAY ULTRA COMPACT SYSTEM, EASY INSTALLATION, LONG LIFE SPAN, NO BULBS CHANGES, NO MEN-WORK, OVER 22 YEARS LED LIFE SPAN

Great brightness 1700lm
360° coverage

Cost effective - 100% sun
powered - No electric
bills!

No power cables, no
trenching through exist-
ing roads, sidewalks or
landscape

Eliminates cost of utility
installation to site - allows
flexibility of location

Environmentally friendly
reduce fossil fuel con-
sumption , eliminating
pollution

Minimum maintenance
required . Reliable opera-
tion 365 days a year

There is no need to install
a wire or dig the road,.

Applications: street lamp,
remote area lighting,
Guard houses, Parks and
campgrounds lighting,
Recreation area restroom
lighting, Parking lot light-
ing, warehouse exterior
lighting , arenas, public
spaces, commercial
yards, open areas ,
schools, factories, sub-
urbs and municipal road-
ways etc...



Super compact ATLANTS SUN INSTA-LITE is everything you need included in one compact and slim housing. Battery, solar panel, led lamp and controller included .Withstand vandalism and attempts at theft Can be installed in few minutes in almost any kind of pole!

Installed in minutes !! Great illumination anywhere! No wires, no cables. Long life span

Those SUPER COMPACT SMART solar street lamps are designed for installing in minutes
With light sensor and auto mode (on dusk to dawn automatically) . ATLANTS LED's typically last over 22 years so there are no bulb changes Each lamp comprises an ultra compact design housing with highly efficient built-in ultra efficient solar panel monocrystalline
High corrosion resistance. Bad weather proof
Durable construction weather proof IP 65.
Construction: aluminum alloy.
Energy saving mode
After fully charged it can work 2-3 days .
Visible angle: 360° . Working temperature : -35° to +70°C . Recommended pole: 60-76mm diameter
Ready to fix, everything included

CHARACTERISTICS INSTALITE 360D

18V/25w solar panel
15w led lamp
Super brightness: 1900 lumens .
Long lasting last generation lithium battery 12ah/12.8V
Recommended pole / wall height: up to 5 m .
Color temp:available 2700-7500K
Packing Data:
Product size: 52 diameter x 25 cm height.
G. weight unit 9.50 Kg.
Individual box . 8 units/export master carton .
G.W. master carton: 77 Kg
Carton Volume: 0.75 Cbm.
20' /40FCL container loading: 330pcs/638 pcs.
REF. ATL-INSL360D



INSTALITE 360D 3600 lumens

360 DEGREES COVERAGE SOLAR LED SMART LAMP

PLUG & PLAY ULTRA COMPACT SYSTEM, EASY INSTALLATION, LONG LIFE SPAN, NO BULBS CHANGES, NO MEN-WORK, OVER 22 YEARS LED LIFE SPAN

**360°
LIGHTING**

Great brightness 3600lm
360° beam coverage

Cost effective - Sun powered
- No electric bills!

No power cables, no trenching through existing roads, sidewalks or landscape

Eliminates cost of utility installation to site - allows flexibility of location

Environmentally friendly reduce fossil fuel consumption, eliminating pollution

Minimum maintenance required. Reliable operation 365 days a year

There is no need to install a wire or dig the road,.

Applications: street lamp, remote area lighting, guard houses, parks and campgrounds lighting, Recreation area restroom lighting, parking lot lighting, warehouse exterior lighting, arenas, public spaces, commercial yards, open areas, schools, factories, suburbs and municipal roadways etc...

Optional: automatic connection to the electric grid in case of low battery in places with long periods without sunshine



3600 lumens



Super compact ATLANTS SUN INSTA-LITE is everything you need included in one compact and slim housing. Battery, solar panel, led lamp and controller included. Withstand vandalism and attempts at theft Can be installed in few minutes in almost any kind of pole!

Installed in minutes !! Great illumination anywhere! No wires, no cables. Long life span

Those SUPER COMPACT SMART solar street lamps are designed for installing in minutes With light sensor and auto mode (on dusk to dawn automatically) . ATLANTS LED's typically last up to 22 years so there are no bulb changes. Each lamp comprises an ultra compact design housing with highly efficient built-in monocrystalline solar panel High resistance to corrosion & dust. Rain & bad weather proof. Durable construction in aluminum alloy. Energy saving mode with motion sensor. After fully charged it can work up to 2-3 days . Visible angle: 360 degrees Working temperature : -35° to +70°C . Recommended pole: Up to 6m height and 60-80mm diameter Ready to fix, each lamp includes bracket & bolts

Optional: In areas that have long periods without sunshine, it connects to the mains automatically when a low battery is detected.

CHARACTERISTICS INSTALITE 360D-3600lm

18V/50w highly efficient monocrystalline solar panel
Led lamp: 30W Super brightness: 3600 lumens .
Long lasting last generation lithium battery 16AH/12V
Color temperature available:3000-6500K
Product size: 64 diameter x 28 cm height.
Remote controller optionally
Packing Data:
Gross. weight 17 Kg/unit
Packing: Individual box and 6 units/export master pack
Gross weight master pack/pallet: 102Kg .
Master pack/pallet volume: 0.95 Cbm.
20' /40FCL container loading: 200pcs/400 pcs.

REF. ATL-INSL360D-3600LM 100% solar
ATL-INSL360D-3600LM / E solar + electric

**ATLANTS
SOLAR**

CE

InstaLite *Life* INTELLIGENT MODULAR SOLAR LED LAMP

Compact, modular and scalable. It allows multiple presentations according to the lighting needs from 15w to 120w per pole. DESIGN ALL IN 1. Plug & Play

ULTRA COMPACT.
EASY INSTALLATION.
LONG LIFE SPAN
WITHOUT CHANGES OF
LIGHT BULBS, NO MEN-
WORK, LEDS WITH 22
YEARS LIFE SPAN

It eliminates the cost of
installation in any place
permitting a flexible, sim-
ple and versatile emplace-
ment way

Ecological, reduces fossil
fuel consumption, elimi-
nating pollution. Almost
no maintenance required.

Reliable operation 365
days a year

No location or installation
limitations: Can generate
light where needed

No installation or wiring
costs. No electric bills! No
ditches or works spoiling
the landscape

Applications: streets,
roads, lighting of remote
areas, guard houses,
parks and gardens,
campsites, areas under
construction, lighting of
service areas, gas sta-
tions, parking, ware-
houses, arenas, public
spaces, commercial ar-
eas, open areas, outdoor
factories, suburbs and
roads municipal areas
etc ...



Exclusive integrable and modular
design, up to 8 units per pole from
1700 to 13600 Lm

A compact solar led lamp specially designed for offering maximum versatility, allowing to integrate up to 8 units in the same pole in an elegant and harmonic way. Battery, solar panel, LED lamp and intelligent controller integrated! Automatic power on and off from dusk to dawn. Energy saving system by time or sensor



ATLANTS
SOLAR

CE

InstaLite *Life* INTELLIGENT MODULAR SOLAR LED LAMP

Compact, modular and scalable. It allows multiple presentations according to the lighting needs from 15w to 120w per pole. DESIGN ALL IN 1. Plug & Play

Installation options



Led 75w—8500 lumens



Led 15w—1700 lumens



Led 30w—3400 lumens



Led 45w—5100 lumens



Led 120w—13600 lumens



Easy installation without technicians.
ATLANTS LEDs last up to 100,000 hours so they save on spare parts and labour costs
A modular, scalable, compact and integrated design, great efficiency and durability.
Robust and durable construction in aluminum with high resistance to weather, corrosion and dust proof.
IP 65. Integrated energy saving system.
Optional time control. Once fully charged it can work up to 2-3 days
Recommended post: 60-76mm diameter.
Recommended pole height: 3-14m
Recommended distance between poles 18-50m
REF. ATL-INSLIFE

CHARACTERISTICS INSTALITE *Life*

Each individual lamp includes:
High performance solar panel 18V / 25w
Light source: LED 15W hyper bright
Light output: 1700 lumens / lamp
They can install up to 8 lamps per pole (Total led 120 W and 13600 lumens). Each module integrates the latest generation lithium battery with a long life span 14ah / 12V capacity. Integrated solar controller. Automatic On / off. Temp colour available: 2500-7500K. Working temperature: -30°C to + 60°C.
Product measures: 60 * 53 * 15 cm. Gross weight unit: 14 Kg.
Packing: 8 units / export master pack.
Gross weight master pack / pallet: 112 Kg Volume: 0.59 m3 / master pack. Containers: 20' / 40FCL 350pcs / 672 units